

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	526	catheter and (fiber with (optical optic)) and ((luminescen\$ fluorescen\$ exciting excitation) same temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:37
L2	47	catheter same (fiber with (optical optic)) same temperature same (luminescen\$ fluorescen\$ exciting excitation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 13:37
L3	222	catheter and ((fiber with (optical optic)) same (luminescen\$ fluorescen\$ exciting excitation)) and ((detection detect\$3 measurement measur\$3 calculation calculat\$3 determination determin\$3 evaluation evaluat\$3 ascertain\$3 computation comput\$3 estimation estimat\$3 find\$3 solv\$3 quantification quantif\$4) near3 temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 13:37
L4	101	L3 and (coil spring)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:38
L5	302	1 and (coil spring)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 13:39
L6	471	("600"/\$.ccls. "604"/\$.ccls. "607"/\$.ccls.) and catheter and (fiber with (optical optic)) same (luminescen\$ fluorescen\$ exciting excitation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:43
L7	193	6 and (coil spring)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:44
L9	366	("600"/\$.ccls.) and catheter and (fiber with (optical optic)) same (luminescen\$ fluorescen\$ exciting excitation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:43

L11	131	9 and (coil spring)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:44
L14	4	("4718417" "5106387" "5125404" "5201318").pn.	US-PGPUB; USPAT	OR	ON	2005/01/10 14:53
L16	469	7 (11 4 5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:13